

New Delac

Jul. 2021
RENEWAL




- Multi-purpose rail with a wide range of applications.
- Manual, cord draw and motor operation are possible.
- Exceptional durability satisfying the strict demands of a 10,000 open/close test.
- Can also be used as a hospital partition rail, IV rail and picture rail.

New Delac

New Delac's Unique Features and Applications

Using the Overlap MG Carrier for Hand provides better light shielding.


The Overlap MG Carrier effectively prevents unwanted light from streaming into a room. Light is kept out even where the curtains overlap in the middle. And the rollers run very smoothly.




*Perfect light shielding may not be possible depending on the type of window and installation method. Please consult a specialist when designing window covering for a darkroom or photo lab.

Use an IV Roller for an IV Rail.

New Delac's exceptional durability and safety make it ideal for use as an IV Rail in hospitals and other medical institutions. The IV Rollers are also designed to lock under the weight of an IV bottle. And the wheel parts are made of a special resin to effectively reduce sliding noise.



For Wave Style



- The Wave Style creates a feeling of naturally flowing fabric.
- The curtains are draped in gentle waves about 1.5–2.2 times the width of window, resulting in a continuity of pattern and texture.
- There is a natural wave in the curtains at intervals of 80 mm (3.2").
- With its tape and accessories, it creates natural, elegant symmetrical waves.


*Pleating cord keeps waves evenly shaped, making the curtain rich and stylish.

*For more details about Wave Style, please refer to the catalog "New Delac with Wave Style Components".



NT Bracket convenient when there is insufficient vertical space for installation.


This bracket is convenient when there is insufficient vertical space for bracket installation. It is firmly secured with just two screws.



Brackets with a temporary hook makes installation easier.


(Excluding Extra Brackets)

This bracket holds a rail while allowing you to adjust a rail position. Once you finish adjusting a position, simply snap the rail into the bracket to secure firmly.




Smooth opening and closing with separate grooves for rollers and traverse cord.

Installation is easy and the cord is located in a groove to prevent it from becoming entangled with the rollers. The smooth-running rollers also assure easy opening and closing.




Partitioning is flexible, by using the Last-in Intermediate Stop


Last-in Intermediate Stop is usable both fix and open/close the curtain.



Last-in Intermediate Stop



Curtain hook is fixed by turning the hole toward the front.



When the hole is turned sideways, MG Carrier can be attracted.

Can also be used with a Curtain Motor. (Powerful Series)

Exceptionally convenient for opening and closing wide curtains, curtains installed in a high location, and heavy curtains.




Materials and Finishes

Parts	Material	Finish
Rail	Aluminum alloy extrusion material	Alumite
		Alumite umber
		Alumite black
		Alumite white
		Alumite warm white

Parts	Material	Finish
Roller	Plate	Hard polyethylene
	Wheel	Hard polyethylene
	Oval ring	Stainless steel
End Cap	Body	Nylon
	Oval ring	Stainless steel
Bracket	Body	Steel
	Hook	Acetal resin

Bracket Installation Interval and Allowable Curtain Load




Installation Dimensions


Ceiling Attachment

Direct attachment


Ceiling Single Bracket
Bracket width = 18 mm (.71")



Ceiling Double Bracket
Bracket width = 18 mm (.71")




Extra Ceiling Double Bracket
Bracket width = 23 mm (.91")




Installation Dimensions

Wall Attachment


Single Bracket
Bracket width = 19 mm (.75")




Double Bracket
Bracket width = 19 mm (.75")




Extra Double Bracket
Bracket width = 25 mm (.98")




Extra Single Bracket
Bracket width = 24 mm (.94")



NT Double Bracket
Bracket width = 44 mm (1.7")




Overlap Rail




New Delac

New Delac Rails



Silver



Umber



Black



White





















Warm white










Size	Product Code					
	Silver	Umber	Black	White	Warm white	
1.82 m (72")	00210120	00210036	30010561	00210346	00210226	
2.00 m (79")	00210121	00210038	30010562	00210347	00210227	
2.73 m (107")	00210122	00210039	30010563	00210348	00210228	
3.00 m (118")	00210123	00210040	30010564	00210349	00210229	
3.64 m (143")	00210124	00210047	————	00210350	00210230	
4.00 m (157")	00210125	00210048	————	00210351	00210231	
Curved Rail (180 mmR / 7.1"R)	0.40 m × 0.40 m (16" × 16")	00210126	00210045	30010565	————	00210232
	1.00 m × 1.00 m (39" × 39")	00210035	00210046	30010566	————	00210233
Overlap Rail 0.50 m (20")	00210208	00210043	30010567	————	00210234	








New Delac Parts

Product Name		Product Code
Roller (8 pieces per strip)		Natural 00210027
MG Carrier		Natural 00210054
One-way MG Carrier		Natural 00210053
NN Roller (for last-in)		00210008
Noiseless Roller (8 pieces per strip)		Natural 00210188
Noiseless MG Carrier		Natural 00210189
Noiseless One-way MG Carrier		Natural 00210190
New Delac Wave Style Roller Set (100 m)	 Roller (1,250 pcs) Pleating Cord (100 m) 80 mm (3.2")	00210355
Soundproof Packing	 Silence effect improves together it with Noiseless Roller.	00210023
Overlap MG Carrier for Hand	 50 mm (2.0") 147 mm (5.8") (*1)	00210006






Product Name		Product Code
Single Bracket		Silver 00210213
		Umber 00210214
		Black 30010574
		White 00210324
		Warm white 00210215
Extra Single Bracket		Silver 00210012
		Umber 00210084
		White 30011802
		Warm white 00210155
Double Bracket		Silver 00210216
		Umber 00210217
		Black 30010575
		White 00210325
NT Double Bracket		Silver 00210222
		Umber 00210223
		White 00210224
		Warm white 00210224
Extra Double Bracket		Silver 00210109
		Umber 00210082
		White 30011801
		Warm white 00210157
Ceiling Single Bracket		Silver 00210191
		Umber 00210192
		Black 30010576
		White 00210326
Ceiling Double Bracket		Silver 00210219
		Umber 00210220
		Black 30010577
		White 00210327
Extra Ceiling Double Bracket		Warm white 00210221
		Silver 00210107
		Umber 00210196
		White 00210353
Warm white 00210197		

Product Name		Product Code
Overhead Hanger		Silver 00210105
		Umber 00210198
		Black 30010578
		Warm white 00210199
		White 00210199
Wall Bracket		Silver 00210015
		Umber 00210201
		Black 30010579
		White 00210331
		Warm white 00210202
End Cap		Natural 00210010
		Umber 00210086
		Black 30010572
End Stop B		Natural 00210135
		Umber 00210137
		Black 30010573
		White 30011800
		Warm white 00210200
Last-in Intermediate Stop	 18 mm (.71")	30009046
Intermediate Stop		00210134
Return Aids for End Stop		00530063

*1 For a curved rail, use with a rail with a radius of 240 mm (9.4") or more. A rail with a 180 mm (7.1") radius can not be used.

Product Name		Product Code
	Silver	00210002
	Umber	00210081
	White	00210333
	Warm white	00210159
	81 mm (3.2") 96 mm (3.8")	00210262
	66 mm (2.6") 92 mm (3.6") 100 mm (3.9")	00210264
	45 mm (1.8") 90 mm (3.5")	00210001
	(*1)	00210225
Traverse Cord 2.8 mm DIA.	White	00580009
	White	00500005
	Brown	00500002
	Silver	00500007

Cord Draw Parts

Product Name		Product Code	
		00210128	
	Silver	00210024	
	White	00210323	
	Adjustable Hanger Rod A A170 (130–170 mm/ 5.1–6.7")	Silver	00290034
		White	00290038
	A250 (170–250 mm/ 6.7–9.8")	Silver	00290036
		White	00290039
	A400 (245–400 mm/ 9.6–16")	Silver	00290017
		White	00290040
	A700 (395–700 mm/ 16–28")	Silver	00290016
		White	00290041
	A1100 (595–1,100 mm/ 23–43")	Silver	00290015
		White	00290042
	Adjustable Hanger Rod B B400 (250–400 mm/ 9.8–16")	Umber	00290013
		White	00290026
	B700 (400–700 mm/ 16–28")	Umber	00290012
		White	00290025
		00210052	
Allowable load 10 kg (22 lb)			

Other Parts

*1 Contents of Kit: Overlap Pulley Set (1 set), Pilot Roller (2 pcs), Overlap Bracket (1 pc), Intermediate Stop (4 pcs), Cord Clip (10 pcs)